

Puerto Rican lizards adapt to Florida's weather ^[1]

Submitted on 11 March 2013 - 12:44pm

This article is reproduced by CienciaPR with permission from the original source.

Calificación:



The Professional is a member of CienciaPR

CienciaPR Contribution:

Wilson Gonzalez-Espada ^[2]

CienciaPR Author:

Diálogo Digital ^[3]

Original Source:

Dr. Wilson González-Espada

By:



Los lagartijos cerstados tardaron 35 generaciones en adaptarse al invierno de Florida

Dr. Manuel Leal and colleagues from Duke University studied how the Puerto Rican lizard (*Anolis cristatellus*) has adapted to the weather in Florida. They estimated that it took approximately 35 evolutive generations to adjust to colder temperatures.

Tags:

- [Duke University](#) [4]
- [Manuel Leal](#) [5]
- [lagartijos boricuas](#) [6]
- [evolución acelerada](#) [7]
- [Anolis](#) [8]
- [Fajardo](#) [9]

Content Categories:

- [Environmental and agricultural sciences](#) [10]

Source URL: <https://www.cienciapr.org/en/external-news/puerto-rican-lizards-adapt-floridas-weather>

Links

[1] <https://www.cienciapr.org/en/external-news/puerto-rican-lizards-adapt-floridas-weather> [2]

<https://www.cienciapr.org/en/user/wgepr> [3] <http://www.dialogodigital.com/index.php/Los-lagartijos-boricuas-se-acostumbran-al-frio-de-Florida.html> [4] <https://www.cienciapr.org/en/tags/duke-university> [5]
<https://www.cienciapr.org/en/tags/manuel-leal> [6] <https://www.cienciapr.org/en/tags/lagartijos-boricuas> [7]
<https://www.cienciapr.org/en/tags/evolucion-acelerada> [8] <https://www.cienciapr.org/en/tags/anolis> [9]
<https://www.cienciapr.org/en/tags/fajardo> [10] <https://www.cienciapr.org/en/categorias-de-contenido/environmental-and-agricultural-sciences-0>