

# **Puerto Rican lizards adapt to Florida's weather** <sup>[1]</sup>

Submitted on 11 March 2013 - 12:44pm

*This article is reproduced by CienciaPR with permission from the original source.*

## **Calificación:**



The Professional is a member of CienciaPR

## **CienciaPR Contribution:**

Wilson Gonzalez-Espada <sup>[2]</sup>

## **CienciaPR Author:**

Diálogo Digital <sup>[3]</sup>

## **Original Source:**

Dr. Wilson González-Espada

## **By:**



Los lagartijos cerstados tardaron 35 generaciones en adaptarse al invierno de Florida

Dr. Manuel Leal and colleagues from Duke University studied how the Puerto Rican lizard (*Anolis cristatellus*) has adapted to the weather in Florida. They estimated that it took approximately 35 evolutive generations to adjust to colder temperatures.

## Tags:

- [Duke University](#) <sup>[4]</sup>
- [Manuel Leal](#) <sup>[5]</sup>
- [lagartijos boricuas](#) <sup>[6]</sup>
- [evolución acelerada](#) <sup>[7]</sup>
- [Anolis](#) <sup>[8]</sup>
- [Fajardo](#) <sup>[9]</sup>

## Content Categories:

- [Environmental and agricultural sciences](#) <sup>[10]</sup>

---

**Source URL:** <https://www.cienciapr.org/en/external-news/puerto-rican-lizards-adapt-floridas-weather?language=en&page=7>

## Links

[1] <https://www.cienciapr.org/en/external-news/puerto-rican-lizards-adapt-floridas-weather?language=en> [2] <https://www.cienciapr.org/en/user/wgepr?language=en> [3] <http://www.dialogodigital.com/index.php/Los-lagartijos-boricuas-se-acostumbran-al-frio-de-Florida.html> [4] <https://www.cienciapr.org/en/tags/duke-university?language=en> [5] <https://www.cienciapr.org/en/tags/manuel-leal?language=en> [6] <https://www.cienciapr.org/en/tags/lagartijos-boricuas?language=en> [7] <https://www.cienciapr.org/en/tags/evolucion-acelerada?language=en> [8] <https://www.cienciapr.org/en/tags/anolis?language=en> [9] <https://www.cienciapr.org/en/tags/fajardo?language=en> [10] <https://www.cienciapr.org/en/categorias-de-contenido/environmental-and-agricultural-sciences-0?language=en>